

Missing Pieces, and Designing IP

EE122 Fall 2012

Scott Shenker

http://inst.eecs.berkeley.edu/~ee122/

Materials with thanks to Jennifer Rexford, Ion Stoica, Vern Paxson and other colleagues at Princeton and UC Berkeley

.

Questions about Project 1

Announcements

- HW formatting: don't screw it up.
 - You have been warned!
- HW2 out later tonight
- Midterm review???

Today's Lecture: Two Topics

- · Covering some "missing pieces"
 - Maybe networking isn't as simple as I said....
- Designing IP
 - What should it be doing?
 - What needs to be included in the packet header?

Missing Pieces

5

Where are we?

- We have covered the "fundamentals"
 - How to deliver packets (routing)
 - How to build reliable delivery on an unreliable network
- With this, we could build a decent network
- But couldn't actually do anything with the network
 Too many missing pieces
- We now want to identify those pieces
 - Will guide what we cover rest of semester

Scenario: Joan Wants Her Music

- Joan is sitting in her dorm room, with a laptop
- Has overwhelming urge to listen to John Cage
 - In particular, his piece 4'33"
 - Let's listen to the opening movement...(quiet!!)
- What needs to happen to make this possible?
 - Not in terms of today's protocols...
 -but in terms of basic tasks

Did I miss anything?

- Accessing the network from laptop

 Wireless or ethernet
 - Before I answer, jot down a few steps.
 - This portion of the lecture won't mean much if you don't try to figure it out.
- Talk to your neighbors about it,
 talk to yourself about it,
 don't just sit there and read your mail...

What Are The Steps Involved?

- · Accessing the network from laptop
 - Wireless or ethernet
 - Network management (someone needs to make it work)
- · Mapping "real world name" to "network name"
- Mapping network name to location
- · Download content from location
- Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

Access Networks

- If access network is "switched", we understand it
 – Just like any other packet-switched network
- If the access network is shared medium, then we need to figure out how to share the medium
 - -Wireless
 - Classical ethernet

10

t work)

Media Access Control (MAC)

- Carrier sense: (CSMA)
 - Don't send if someone else is sending
- Collision detection: (CD)
 - Stop if you detect someone else was also sending
- · Collision avoidance: (CA)
 - How to arrange transmissions so that they don't collide

And you know how old people like me like to relive their youth.....

11

What Are The Steps Involved?

- Accessing the network from laptop
 - Wireless or ethernet
 - Network management (need to make it work)
- Mapping "real world name" to "network name"
- · Mapping network name to location
- · Download content from location
- Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

Network Management

- Control how network interconnects to Internet - Interdomain routing
- · Keep unwanted traffic off network
 - Firewalls and access control
- · Share limited number of public addresses -NAT
- · Keep links from overloading
 - Traffic engineering

Most undeveloped part of Internet architecture

Current Network Management

- · No abstractions, no layers
- · Just complicated distributed algorithms
 - Such as routing algorithms
- Or manual configuration
 - Such as Access Control Lists and Firewalls

Future Network Management

- Clean abstractions
- · No complicated distributed algorithms
- · Treat networks like systems...

Two lectures later in semester!

Find out why stick shifts are the root of all evil in networking!

What Are The Steps Involved?

- · Accessing the network from laptop
 - -Wireless or ethernet
 - Network management (someone needs to make it work)
- Mapping "real world name" to "network name"
- · Mapping network name to location
- Download content from location
- · Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

"Real World Name" to "Network Name"

- · Joan knows what music she wants
- · Doesn't know how to tell network what she wants
- Needs to map "real world How can we do this?"

-to a name that the infrastructure understands - We will call this the "network name" but this isn't a name at the IP level, but another portion of the infrastructure
- Search engine!
 - Maps keywords to URL

What is a "Network Name"?

- HTTP://www.youtube.com/watch?v=hUJagb7hL0E
- HTTP is host-to-host protocol
- www.youtube.com is a "host name"
 - Widely replicated, but still represents a host
- watch?v=hUJagb7hL0E is meaningful to host

What Are The Steps Involved?

- Accessing the network from laptop
 - Wireless or ethernet
 - Network management (someone needs to make it work)
- · Mapping "real world name" to "network name"
- · Mapping network name to location
- · Download content from location
- Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

19

Map Network Name to Location

- "Name resolution" converts name to location
 - -Location is IP address of host
- We would like location to be nearby copy
 - Speeds up download
 - Reduce load on backbone and access networks

20

How is this done today?

- Name resolution: Domain Name System (DNS)
 Hand in a hostname, get back an IP address
- Nearby copy of the data?
 - CDNs: content distribution networks (like Akamai)
- P2P systems can also point you to nearby content

21

What Are The Steps Involved?

- · Accessing the network from laptop
 - Wireless or ethernet
 - Network management (someone needs to make it work)
- · Mapping "real world name" to "network name"
- · Mapping network name to location
- Download content from location
- Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

22

Download Data from Location

- Need a reliable transfer protocol: TCP
 - Must share network with others: congestion control
- But must be able to use URL to retreive content
 Need higher-level protocol like HTTP to coordinate

23

What Are The Steps Involved?

- Accessing the network from laptop
 - Wireless or ethernet
 - Network management (someone needs to make it work)
- Mapping "real world name" to "network name"
- · Mapping network name to location
- · Download content from location
- · Addressing general security concerns
 - Verifying that this is the right content
 - And that no one can tell what she's downloading

Ensuring Security

- **Privacy**: prevent sniffers from knowing what she downloaded ("it was for EE122, I promise!")
- Integrity: ensure data wasn't tampered with during its trip through network
- **Provenance**: ensure that music actually came from the music company (and not some imposter)

How do we do this today?

- Cryptographic measures enable us to do all three
- Public Key cryptography is crucial
 - No need to share secrets beforehand

25

Scenario Requires

- Media Access Control
- Network management
- Naming and name resolution
- · Content distribution networks
- · And perhaps P2P
- Congestion control
- HTTP
- · Cryptographic measures to secure content

27

Rest of Course

- · Details of IP and TCP
 - Bringing reality to general concepts
- Filling in pieces of name resolution and HTTP
- Congestion control
- · Advanced routing
- Security
- Ethernet and Wireless
- Network Management
- What if we were to redesign Internet from scratch 28

Break

29

The Design of IP

We are about to make a transition!

From heady principles...
...to packet headers

From essentials...
...to esoterica

From fundamentals...
...to no-fun-at-all

What I'll try to get through....

- Design-it-yourself packet header
- IP header (maybe)
- Comparison with IPv6 (not a chance)

32

What is "designing" a protocol?

- Specifying the syntax of its messages

 Format
- Specifying their semantics
 - Meaning
 - Responses

33

What is Designing IP?

- · Syntax: format of packet
 - Nontrivial part: packet "header"
 - Rest is opaque payload (why opaque?)

Header

Opaque Payload

- Semantics: meaning of header fields
 - Required processing

34

Packet Header as Interface

- Think of packet header as interface
 - -Only way of passing information from packet to switch
- · Designing interfaces:
 - What task are you trying to perform?
 - What information do you need to accomplish it?
- · Header reflects information needed for basic tasks

35

In-Class Exercise

- Five minutes to design the IPv7 packet header
 - Do not look at book, or otherwise copy IPv4 or IPv6
 - Do work in groups
- Goal not to get right answer, but to think about:
 - What tasks are involved?
 - How can a packet header accomplish it?
- Note: IPv4 is not a great model
 - -Try to do better!

I'll Take Two or Three Answers

- · You tell me your:
 - -Task list
 - Corresponding information in header
 - And any deep insights about architecture? (Optional!)
- Example:
 - Task 1: get packet to destination
 - Header information: destination address

200

Answer #1:

- Destination address
- TTL

38

What Tasks Do We Need to Do?

- Read packet correctly
- · Get packet to the destination
- Get responses to the packet back to source
 Not really, but humor me....
- · Carry data
- Tell host what to do with packet once arrived
- Specify any special network handling of the packet
- Deal with problems that arise along the path

39

Reading Packet Correctly

- · Where does header end?
- · Where does packet end?
- · What version of IP?
 - Why is this so important?

4

Getting to the Destination

- Provide destination address (duh!)
- Should this be location or identifier?
 And what's the difference?
- If a host moves, should its address change?
 - If not, how can you build scalable Internet?
 - If so, then what good is an address for identification?

41

Getting Response Back to Source

- Source address (duh!)
- You've already heard my rant on this....

Carry Data

• Payload (duh!)

43

Telling Dest'n How to Process Packet

- Indicate which protocols should handle packet
- What layer should this protocol be in?
- What are some options for this today?
- How does the source know what to enter here?

44

Special Handling

• Type-of-service: Priority, etc.

· Options: discuss later

45

Dealing with Problems

- Is packet caught in loop?
 - $-\mathsf{TTL}$
- Header Corrupted:
 - Detect with Checksum
 - -What about payload checksum?
- · Packet too large?
 - Deal with fragmentation
 - Split packet apart
 - Keep track of how to put together

46


Are We Missing Anything?

- · Read packet correctly
- · Get packet to the destination
- Get responses to the packet back to source
- · Carry data
- Tell host what to do with packet once arrived
- · Specify any special network handling of the packet
- Deal with problems that arise along the path

47

From Semantics to Syntax

- The past few slides discussed the kinds of information the header must provide
- Will now show the syntax (layout) of IPv4 header, and discuss the semantics in more detail



Go Through Tasks One-by-One

- · Read packet correctly
- · Get packet to the destination
- · Get responses to the packet back to source
- · Carry data
- Tell host what to do with packet once arrived
- · Specify any special network handling of the packet
- Deal with problems that arise along the path


51

Reading Packet Correctly

- Version number (4 bits)
 - Indicates the version of the IP protocol
 - Necessary to know what other fields to expect
 - Typically "4" (for IPv4), and sometimes "6" (for IPv6)
- Header length (4 bits)
 - Number of 32-bit words in the header
 - Typically "5" (for a 20-byte IPv4 header)
- Can be more when IP options are used
- Total length (16 bits)
 - Number of bytes in the packet
 - Maximum size is 65,535 bytes (216 -1)
 - ... though underlying links may impose smaller limits


52


Fields for Reading Packet Correctly





Getting Packet to Destination and Back


- Two IP addresses
 - Source IP address (32 bits)
 - Destination IP address (32 bits)
- Destination address
 - Unique identifier/locator for the receiving host
 - Allows each node to make forwarding decisions
- Source address
 - Unique identifier/locator for the sending host
 - Recipient can decide whether to accept packet
 - Enables recipient to send a reply back to source











Potential Problems


• Header Corrupted: Checksum

• Loop: TTL

• Packet too large: Fragmentation

Header Corruption


- Checksum (16 bits)
 - Particular form of checksum over packet header
- If not correct, router discards packets
 - So it doesn't act on bogus information
- Checksum recalculated at every router
 - -Whv?
 - Why include TTL?
 - Why only header?



Preventing Loops

Forwarding loops cause packets to cycle forever

 As these accumulate, eventually consume all capacity



- Time-to-Live (TTL) Field (8 bits)
- Decremented at each hop, packet discarded if reaches 0
- ...and "time exceeded" message is sent to the source o Using "ICMP" control message; basis for traceroute

TTL Field

4-bit | 4-bit | Header | Type of Service | 16-bit Total Length (Bytes) | 16-bit Identification | 3-bit | 13-bit Fragment Offset |

8-bit Time to | 16-bit Protocol | 16-bit Header Checksum | 32-bit Source IP Address | 32-bit Destination IP Address

Payload

Fragmentation


- Fragmentation: when forwarding a packet, an Internet router can split it into multiple pieces ("fragments") if too big for next hop link
- Must reassemble to recover original packet
 - Need fragmentation information (32 bits)
 - Packet identifier, flags, and fragment offset

۷.

Field Size (bits) Description Copied 1 Set if field copied to all fragments Class 2 0=control, 2=debugging/measurement Number 5 Specifies option Length 8 Size of entire option Data Variable Option-specific data

Examples of Options


- End of Options List
- No Operation (padding between options)
- Record Route
- Strict Source Route
- · Loose Source Route
- Timestamp
- Traceroute
- Router Alert



IPv6


- Motivated (prematurely) by address exhaustion
 Addresses four times as big
- · Steve Deering focused on simplifying IP
 - Got rid of all fields that were not absolutely necessary
 - "Spring Cleaning" for IP
- Result is an elegant, if unambitious, protocol

70




Summary of Changes

- Eliminated fragmentation (why?)
- Eliminated header length (why?)
- Eliminated checksum (why?)
- New options mechanism (next header) (why?)
- Expanded addresses (why?)
- Added Flow Label (why?)



Philosophy of Changes

- Don't deal with problems: leave to ends
 - Eliminated fragmentation
 - Eliminated checksum
 - Why retain TTL?
- · Simplify handling:
 - New options mechanism (uses next header approach)
 - Eliminated header length
 - o Why couldn't IPv4 do this?
- Provide general flow label for packet
 - Not tied to semantics
 - Provides great flexibility



Improving on IPv4 and IPv6?

- Why include unverifiable source address?
 - Would like accountability **and** anonymity (now neither)
 - Return address can be communicated at higher layer
- Why packet header used at edge same as core?
 - Edge: host tells network what service it wants
 - Core: packet tells switch how to handle it o One is local to host, one is global to network
- Some kind of payment/responsibility field?
 - Who is responsible for paying for packet delivery?
 - Source, destination, other?
- · Other ideas?